

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	183	714/6.ccls. and (server servers) and @pd>"20060622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:16
L2	12	714/4.ccls. and (server servers) and (backup near6 storage) and @pd>"20060606"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:23
L3	148	713/2.ccls. and (server servers) and @pd>"20060622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:25
L4	184	713/1.ccls. and (server servers) and @pd>"20060622"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:27
L5	220	(lun (logical adj unit adj number)) adj (mask masks masking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:51
L6	2	(address adj masking adj driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:59
L7	1	10/749137	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:59
S1	15	lun adj (mask masks masking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:07
S3	103702	masking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:32

EAST Search History

S4	15	S3 and "dell".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:32
S5	1	"5822782".PN.	USPAT	OR	OFF	2003/03/25 09:55
S6	1	"6298427".PN.	USPAT	OR	OFF	2003/03/25 09:43
S7	1	"6279093".PN.	USPAT	OR	OFF	2003/03/25 09:43
S8	1	"6098146".PN.	USPAT	OR	OFF	2003/03/25 09:44
S9	1	"6078979".PN.	USPAT	OR	OFF	2003/03/25 09:44
S10	1	"6041395".PN.	USPAT	OR	OFF	2003/03/25 09:44
S11	1	"6032239".PN.	USPAT	OR	OFF	2003/03/25 09:44
S12	1	"6029237".PN.	USPAT	OR	OFF	2003/03/25 09:44
S13	1	"5996075".PN.	USPAT	OR	OFF	2003/03/25 09:44
S14	12	server near6 (storage adj device) near6 (backup adj storage adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:47
S15	1	"5996014".PN.	USPAT	OR	OFF	2003/03/25 09:45
S16	1	"5996014".PN.	USPAT	OR	OFF	2003/03/25 09:45
S17	1	"5987506".PN.	USPAT	OR	OFF	2003/03/25 09:46
S18	1	"5978860".PN.	USPAT	OR	OFF	2003/03/25 09:53
S19	1	"5931958".PN.	USPAT	OR	OFF	2003/03/25 09:53
S20	1	"5812754".PN.	USPAT	OR	OFF	2003/03/25 09:53
S21	1	"5761424".PN.	USPAT	OR	OFF	2003/03/25 09:53
S22	1	"5727218".PN.	USPAT	OR	OFF	2003/03/25 09:53
S23	1	"5694615".PN.	USPAT	OR	OFF	2003/03/25 09:53
S24	1	"5692219".PN.	USPAT	OR	OFF	2003/03/25 09:54
S25	1	"5657445".PN.	USPAT	OR	OFF	2003/03/25 09:54
S26	1	"5619728".PN.	USPAT	OR	OFF	2003/03/25 09:54
S27	1	"5432735".PN.	USPAT	OR	OFF	2003/03/25 09:54
S28	52	(masks mask masking) and "dell". as.	USPAT	OR	OFF	2003/03/25 09:59
S29	386	(masks mask masking) same (server servers)	USPAT	OR	OFF	2005/11/11 14:25
S30	36	S29 and "714"/\$.ccls.	USPAT	OR	OFF	2003/03/25 09:59

EAST Search History

S32	275	713/1.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:18
S33	33	714/4.ccls. and (server servers) and (backup near6 storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:13
S34	102	714/4.ccls. and (san)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 14:34
S35	60	714/4.ccls. and (san) and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:03
S36	901	713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 12:57
S37	584	713/2.ccls. not 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 14:23
S38	775	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:16
S39	2	"20010016904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 09:32
S40	1	masking adj (LUN (logical adj unit adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:17
S41	1	(masking mask) adj (LUN (logical adj unit adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/21 13:24

EAST Search History

S42	2	"6434714".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/21 13:24
S43	943	714/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 13:46
S44	245	714/6.ccls. and (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 13:50
S45	268	714/6.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:31
S46	1	"5796684".PN.	USPAT	OR	OFF	2003/03/24 16:42
S47	1	"5615329".PN.	USPAT	OR	OFF	2003/03/24 16:42
S48	1	"5404508".PN.	USPAT	OR	OFF	2003/03/24 16:43
S49	1	"5212784".PN.	USPAT	OR	OFF	2003/03/24 16:43
S50	354	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 17:31
S51	736	713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 18:11
S52	247	713/2.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 13:33
S57	20	((("6460113") or ("6463530") or ("6496942") or ("6178521") or ("6526418") or ("6393539") or ("6389459") or ("6360330") or ("5212784") or ("20010016904")). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:19

EAST Search History

S58	5	("2359153").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 12:19
S59	562	714/6.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:04
S60	2	09/636347	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:45
S61	77	714/4.ccls. and (server servers) and (backup near6 storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:09
S62	647	713/1.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:13
S63	531	713/2.ccls. and (server servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 12:11
S64	4	09/464843	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:20
S65	133	(mask\$3) same (server servers) and (backup)	USPAT	OR	OFF	2005/11/11 14:26
S66	47	(mask\$3) same (server servers) and (backup with data)	USPAT	OR	OFF	2005/11/11 14:27
S67	22	((mask\$3) with (server servers)) and (backup with data)	USPAT	OR	OFF	2005/11/11 14:28
S68	22	((mask\$3) with (server servers)) and (backup with data)	USPAT	OR	OFF	2005/11/11 14:28
S69	124	(server adj failure) and ((operating adj system) with (boot\$3 load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:43

EAST Search History

S70	571	(server with failure) and ((operating adj system) with (boot\$3 load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:43
S71	66	(server with failure) and ((operating adj system) with (boot\$3 load\$3)) and (data adj (restor\$5 recover\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:43
S72	1	(address adj masking adj driver). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:15
S73	1	(address adj masking adj driver). clm. and (affected adj server).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:15
S75	125	714/6.ccls. and (server servers) and @pd>"20051108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:16
S76	12	714/4.ccls. and (server servers) and (backup near6 storage) and @pd>"20051013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:23
S77	134	713/2.ccls. and (server servers) and @pd>"20051103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:24
S78	125	713/1.ccls. and (server servers) and @pd>"20051108"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:25
S79	1	(address adj masking adj driver). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:15
S80	1	(address adj masking adj driver). clm. and (affected adj server).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:15

EAST Search History

S81	1	(address adj masking adj driver). clm. and (affected adj server).clm. and (dedicated adj backup adj storage).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 11:16
S82	1	(address adj masking adj driver). clm. and (affected adj server).clm. and (dedicated adj backup adj storage).clm. and (network).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 18:52

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

lun masking recovery

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 109,000 for lun masking recovery. (0.14 seconds)**LUN masking makes for fast data recovery**

Using the Volume Shadow Copy Service and Virtual Disk Service built into Windows Server 2003, you can set system restore points by creating snapshots of ...
[searchwincomputing.techtarget.com/tip/0,289493,sid68_gci1115888,00.html](#) - 52k -
[Cached](#) - [Similar pages](#)

[doc] Windows Server 2003 Active Directory Fast Recovery with Volume ...

File Format: Microsoft Word - [View as HTML](#)
 As with tape-based **recovery** of data, **recovery** using Volume Shadow Copy Service ...
 With **LUN masking**, the corrupt data is not lost, but can be unmasked later ...
[download.microsoft.com/download/9/3/0/9304593c-e16b-4e3b-aecc-4cdee9677a51/W2K3ActDirFastRecov.doc](#) - [Similar pages](#)

Host

LUN Masking enables the N_Port to **mask** any LUNs that this N_Port should has no access to. ... which I name it SIO_EDR - SubIO Error Detection and **Recovery**. ...
[simsan.storwav.com/modules/host.htm](#) - 28k - [Cached](#) - [Similar pages](#)

What is LUN masking?

LUN Masking is implemented primarily at the HBA (Host Bus Adapter) level. ... What is free data **recovery** software? How do I recover hard drive data? ...
[www.tech-faq.com/lun-masking.shtml](#) - 23k - Mar 3, 2007 - [Cached](#) - [Similar pages](#)

Disaster Recovery with the PowerVault 530F

LUN masking grants a host exclusive access to a disk, array, or **LUN** partition. ... The first step for **recovery** is to remove any mirror configuration on the ...
[www.dell.com/content/topics/global.aspx/power/en/ps4q01se_mikejuan?c=us&cs=555&f=en&s=biz](#) - 32k - [Cached](#) - [Similar pages](#)

Lun Masking - BusinessWeek Technology Solution Finder Results for ...

Search Results. for keyword: **Lun Masking** returned 16 results. ... and replicate heterogeneous storage volumes over long distances for disaster **recovery**. ...
[techfinder.businessweek.com/search/keyword/businessweek/Lun%20Masking/Lun%20Masking](#) - 82k -
[Cached](#) - [Similar pages](#)

Infosec Know IT All Trivia: Storage security

LUN masking and zoning prevents an outside user from getting direct access to a server that ... Remote backup and **recovery** c. Interoperability of software ...
[searchsecurity.techtarget.com/generic/0,295562,sid14_gci1049731,00.html?bucket=REF&topic=299927](#) - 55k -
[Cached](#) - [Similar pages](#)

SQL Server on a SAN

The magazine includes tips on data **recovery**, data commands, ... **LUN masking** functions similarly to ACLs on Common Internet File System (CIFS) shares in a ...
[www.sqimag.com/Articles/ArticleID/48486/48486.html](#) - [Similar pages](#)

DSstar: STORAGE SECURITY -- WHAT, HOW, WHY

LUN masking is another storage security method that controls which storage ... **LUN masking** can also be implemented at the storage device in which the ...
[www.taborcommunications.com/dsstar/03/1021/106824.html](#) - 15k -
[Cached](#) - [Similar pages](#)

Westan - Computer Hardware, Telecommunications, Storage ...

LUN Masking and Mapping enable SANs and large clusters ... PerfectRAID™ and Predictive Data Migration™ technology for robust error handling and **recovery** ...
[www.westan.com.au/Aboutus/divisionssf.asp?div=3&PCat=4](#) - 62k -
[Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

Next

lun masking recovery

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google